

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 49



Sen. Annette
Cleveland

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

5 Dialysis Centers

18 Nephrologists

1,073 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

20% Clark County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 1



Sen. Derek
Stanford

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

35 Dialysis Centers

206 Nephrologists

5,703 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

21% Snohomish County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435


licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 3



Sen. Andy Billig

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint



End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease



Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN OREGON: SENATE DISTRICT 7



Sen. Shelly Short

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

11 Dialysis Centers
55 Nephrologists
1,303 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease (by county)

10% Ferry **18%** Okanogan
20% Spokane **16%** Stevens
16% Pend Oreille

Chronic Kidney Disease in Washington



793

Oregonians waiting for a kidney transplant



76

kidney care facilities in the state



250

licensed nephrologists in the state



15,306

Oregonians living with End Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 11



Sen. Bob
Hasegawa

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 13



Sen. Judy Warnick

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

7

Dialysis Centers

11

Nephrologists

968

ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease (by county)

17%

Grant

18%

Kittitas

16%

Lincoln

21%

Yakima

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 15



Sen. Nikki Torres

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

5 Dialysis Centers

11 Nephrologists

612 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

21% Yakima County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435


licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 16



Sen. Perry Dozier

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

- 5** Dialysis Centers
- 16** Nephrologists
- 879** ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease (by county)

- 24%** Benton
- 12%** Columbia
- 25%** Franklin
- 18%** Walla Walla

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 20



Sen. John Braun


Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint



End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease (by county)



Chronic Kidney Disease in Washington



1,330

Washingtonians waiting for a kidney transplant



107

kidney care facilities in the state



435

licensed nephrologists in the state



15,306

Washingtonians living with End Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 25



Sen. Chris Gildon

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

15 Dialysis Centers

74 Nephrologists

1,851 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

21% Pierce County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 28



Sen. Twina Nobles

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

15 Dialysis Centers

74 Nephrologists

1,851 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

21% Pierce County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 30



Sen. Claire Wilson

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

41 Dialysis Centers

257 Nephrologists

6,013 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

21% Pierce County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435


licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 33



Sen. Karen Keiser

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 34



Sen. Joe Nguyen

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at [NWKidneyCouncil.org](https://www.nwkcouncil.org).

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 37



Sen. Rebecca
Saldaña

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 39



Sen. Keith
Wagoner

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at NWKidneyCouncil.org.

Dialysis Footprint

37 Dialysis Centers

214 Nephrologists

5,945 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease (by county)

19% King

15% Skagit

21% Snohomish

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 43



Sen. Jamie
Pedersen

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at [NWKidneyCouncil.org](https://www.nwkidnycouncil.org).

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 44



Sen. John Lovick

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at [NWKidneyCouncil.org](https://www.nwkidneycouncil.org).

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

21% Snohomish County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease

KIDNEY CARE IN WASHINGTON STATE: SENATE DISTRICT 47



Sen. Claudia
Kauffman

Kidney disease affects an estimated 37 million people in the United States, and approximately 90% of those with kidney disease don't know they have it. With support from elected officials and the community, we can reduce kidney disease diagnoses, improve patient outcomes and pioneer new research that will inform best practices and innovative treatment methods for future generations. All data below is reported at a county level. More information and links to data sources are available at [NWKidneyCouncil.org](https://www.nwkcouncil.org).

Dialysis Footprint

26 Dialysis Centers

183 Nephrologists

4,162 ESRD Patients

End Stage Renal Disease (ESRD) is the 5th and final stage of CKD. Individuals with ESRD need dialysis or a kidney transplant to survive.

Prevalence of Chronic Kidney Disease

19% King County

Chronic Kidney Disease in Washington



1,330

Washingtonians
waiting for a
kidney transplant



107

kidney care
facilities in the
state



435

licensed
nephrologists in
the state



15,306

Washingtonians
living with End
Stage Renal Disease